

Owner: Maico Nordic A/S
No.: MD-24121-EN
Issued: 26-09-2024
Valid to: 26-09-2029

3rd PARTY VERIFIED

EPD

VERIFIED ENVIRONMENTAL PRODUCT DECLARATION | ISO 14025 & EN 15804



Owner of declaration

Maico Nordic A/S
Orionvej 2, 7430 Ikast, Denmark
CVR no.: 32 44 68 09



Issued:
26-09-2024

Valid to:
26-09-2029

Programme

EPD Danmark
www.epddanmark.dk



- Industry EPD
- Product EPD

Declared product(s)

- MicroVent, MV2
- MicroVent, MV3
- MicroVent, MV4
- MicroVent, MV5
- MicroVent, MV6
- MicroVent, MV7
- MicroVent, MV8
- Add-on, internal and external steel screen

Number of declared datasets/product variations: 8

Production site

Maico Nordic A/S
Orionvej 2, 7430 Ikast, Denmark

Use of Guarantees of Origin

- No certificates used
- Electricity covered by GoO
- Biogas covered by GoO

Declared/ functional unit

Declared unit, MicroVent:
- 1 piece of decentralized air handling unit.
Declared unit, Add-on steel screens:
- 1 kg steel screen

Year of production site data (A3)

2023

EPD version

Version 1

Basis of calculation

This EPD is developed and verified in accordance with the European standard EN 15804+A2.

Comparability

EPDs of construction products may not be comparable if they do not comply with the requirements in EN 15804. EPD data may not be comparable if the datasets used are not developed in accordance with EN 15804 and if the background systems are not based on the same database.

Validity

This EPD has been verified in accordance with ISO 14025 and is valid for 5 years from the date of issue.

Use

The intended use of an EPD is to communicate scientifically based environmental information for construction products, for the purpose of assessing the environmental performance of buildings.

EPD type

- Cradle-to-gate with modules C1-C4 and D
- Cradle-to-gate with options, modules C1-C4 and D
- Cradle-to-grave and module D
- Cradle-to-gate
- Cradle-to-gate with options

CEN standard EN 15804 serves as the core PCR
Independent verification of the declaration and data, according to EN ISO 14025 <input type="checkbox"/> internal <input checked="" type="checkbox"/> external
Third party verifier: Guangli Du

Martha Katrine Sørensen
EPD Danmark

Life cycle stages and modules (MND = module not declared)

Product			Construction process		Use								End of life				Beyond the system boundary
Raw material supply	Transport	Manufacturing	Transport	Installation process	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Re-use, recovery and recycling potential	
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	
X	X	X	MND	MND	X	X	X	X	X	X	X	X	X	X	X	X	

Product information

Product description

The main product components are shown in the table below.

Material	Weight-% of declared product						
	MV2	MV3	MV4	MV5	MV6	MV7	MV8
Plastics	65%	69%	72%	74%	75%	77%	77%
Electronics	28%	23%	21%	19%	18%	16%	15%
Steel	7%	7%	7%	7%	7%	7%	7%

Material	Weight-% of declared product	
	Add-on steel screens	
Steel	97.2%	
Powder coating	2.8%	

See weight table for Add-on Steel screen (internal and external use) for the different MicroVent types on the next page. The weight table can be used to convert the environmental impacts from the declared unit of 1 kg to the actual weight for each specific case.

Product packaging:

The composition of the sales- and transport packaging of the product is shown in the table below. The packaging materials in A3 is the same for all the declared products. No extra packaging material is needed if add-on steel screens are bought. The packaging material is included in the MV2-MV8 products.

Material	Weight of packaging material (kg)	Weight-% of packaging
Plastic foil, LDPE	0.0423	1.0%
Plastic strip, PP	0.00932	0.2%
Cardboard	0.205	5.0%
EU-pallet	3.81	93.7%
Total	4.07	100%

Representativity

This declaration, including data collection and the modeled foreground system including results, represents the production of MicroVent on the production site located in Ikast, Denmark. Product specific data are based on average values

collected in the period January 2023 to December 2023. Managed LCA Content (MLC) database from Sphera (version 2024.1) and Ecoinvent database version 3.10 and the data is less than 10 years old. Generally, the used background datasets are of high quality, and the majority of the datasets are only a couple of years old.

Hazardous substances

The declared products MicroVent and Add-on Steel Screens does not contain substances listed on the "Candidate List of Substances of Very High Concern for authorisation"

(<http://echa.europa.eu/candidate-list-table>)

Maico Nordic A/S is a "downstream user" according to REACH Art. 3 No. 13. The products are considered "articles" and not "substances" and are therefore not subject to registration. Maico Nordic A/S hereby confirm that all substances used in the manufacture of the declared products and supplied by them are either not subject to registration or have been or will be registered by their upstream suppliers.

Product(s) use

MicroVent is a decentralized ventilation system integrated in the building façade. The principle of a micro-ventilation system is that at least two micro-ventilation units work together to exchange the air in a room. The units are coordinated in such a way that when one unit removes air, another unit will supply air to the room. Micro-ventilation can be used in most buildings and is particularly suitable for renovation projects due to its simple installation process - even in protected and historically valuable buildings.

Essential characteristics

The air handling units follow the standards: EN 13141-7 / EN 13141-8.

The declared products are used for demand-controlled balanced, comfort ventilation with heat recovery in residential, office, institutional, and other occupancy and residential spaces.

The product complies with applicable legal requirements for specific energy consumption (SEL value) and heat recovery.

The products comply with Danish Building regulations BR 2018 and BK2020, Ecodesign and DS447.

The products are tested and comply with the regulations according to DS/EN 13141-8 for one AHU unit:

- Temperature efficiency

The temperature efficiency test is according to DS/EN 13141-8: 8.1 General calculations and DS/EN 13141-8: 5.4.7.3 Thermal test and DS/EN 13141-8: 8.2 Special calculations for alternating exchangers.

- w of the internal leakage (not measured)
- x of the outdoor mixing (not measured)
- y of the indoor mixing (not measured)

- v of the air flow sensitivity (not measured)

Delivery reservation (delimitation / limitation): This test was carried out according to DS/EN 13141 – 8.

Further technical information can be obtained by contacting the manufacturer or on the manufacturer’s website:

<https://maico-nordic.dk/>

Reference Service Life (RSL)

The reference service life is 20 years, which is informed by the manufacturer. A life span of 20 years for air handling units is a commonly accepted standard in the industry.

The operational energy in B6 is calculated for the RSL of 20 years.


Picture of product(s)



Add-on Steel Screens
Internal screen



Add-on Steel Screens
External screen



Weight table for Add-on Steel Screens for internal and external use

Weight table for Add-on steel screens [kg]	Internal steel screen	External steel screen
MicroVent MV2	0.080	0.85
MicroVent MV3	0.095	1.10
MicroVent MV4	1.15	1.40
MicroVent MV5	1.35	1.57
MicroVent MV6	1.60	1.65
MicroVent MV7	1.75	2.15
MicroVent MV8	1.95	2.35

LCA background

Declared unit

The LCI and LCIA results in this EPD relates to the declared unit of 1 piece of air handling unit, MicroVent for the Danish market.

MV2	Value	Unit
Declared unit	1	Piece
Weight per piece	2.99	kg/piece
Conversion factor to 1 kg	0.33	-
MV3	Value	Unit
Declared unit	1	Piece
Weight per piece	3.88	kg/piece
Conversion factor to 1 kg	0.26	-
MV4	Value	Unit
Declared unit	1	Piece
Weight per piece	4.70	kg/piece
Conversion factor to 1 kg	0.21	-
MV5	Value	Unit
Declared unit	1	Piece
Weight per piece	5.55	kg/piece
Conversion factor to 1 kg	0.18	-
MV6	Value	Unit
Declared unit	1	Piece
Weight per piece	6.40	kg/piece
Conversion factor to 1 kg	0.16	-
MV7	Value	Unit
Declared unit	1	Piece
Weight per piece	7.42	kg/piece
Conversion factor to 1 kg	0.13	-
MV8	Value	Unit
Declared unit	1	Piece
Weight per piece	8.21	kg/piece
Conversion factor to 1 kg	0.12	-

Add-on – steel screens	Value	Unit
Declared unit	1	kg
Density	7850	kg/m ³
Conversion factor to 1 kg	1	-

Functional unit

Not defined.

PCR

This EPD is developed according to the core rules for the product category of construction products in EN 15804:2012+A2:2019, which serves as the core PCR. As a cPCR the NPCR 030 version 1.1 – Part B for ventilation components from EPD Norway is applied. This EPD follows additional requirements for construction products considered as Electronic or Electric Equipment (EEE).

Energy modelling principles

Foreground system:

The product is produced using a mix of Danish residual electricity mix from 2022 (76.12%) and electricity from solar panels on-site (23.88%) from 2023 in the production. Remaining energy processes is modelled using national electricity mixes from Managed LCA Content (MLC) database.


Information about the energy mix in the foreground system:

Dataset	EF	Unit
Danish Residual grid mix, DK, ref. year 2022	0.564	kg CO ₂ e/kWh
Danish electricity from photovoltaic, DK, ref. year 2020	0.0333	kg CO ₂ e/kWh
Mix of electricity for foreground system, DK (76.12% residual mix and 23.88% photovoltaic)	0.437	kg CO ₂ e/kWh
District heating mix, DK, ref. year 2021	0.051	kg CO ₂ e/MJ

Background system:

Upstream processes are modelled using national energy mixes. Downstream processes are modelled using national energy mixes.

Flowdiagram



System boundary

This EPD is based on a cradle-to-gate with options LCA, which covers modules A1-A3, B1-B7, C1-C4 and D in accordance to the PCR and EPD Denmark rules for EEE products, in which 100 weight-% has been accounted for.

The general rules for the exclusion of inputs and outputs follows the requirements in EN 15804, 6.3.5, where the total of neglected input flows per module shall be a maximum of 5 % of energy usage and mass and 1 % of energy usage and mass for unit processes.

Product stage (A1-A3) includes:

A1 – Extraction and processing of raw materials

A2 – Transport to the production site

A3 – Manufacturing processes

The product stage comprises the acquisition of all raw materials, products and energy, transport to the production site, packaging and waste processing up to the “end-of-waste” state or final disposal. The LCA results for A1-A3 are also declared in aggregated form for the product stage, which means, that the sub-modules A1, A2 and A3 are declared as one module A1-A3.

The majority of the raw materials are transported from suppliers in Denmark (EURO 6 truck) and a few from China (EURO 5/6 truck and transoceanic ship).

The assembly of the products is manually at the factory in Ikast, Denmark. In the production of MicroVent products, there is a 34% waste from EPS from cut offs, which is also included as extra raw material input in A1. In A3 a waste handling of the packaging material for the raw materials is also included as well as the waste handling of the EPS.

The add-on steels screens are produced at other subcontractors’ factory and sent to the factory at Ikast where it is packaged together with the MicroVent products. Thus, Maico Nordic A/S does not have control over this production.

The packaging material for the declared product leaving the factory gate includes EU pallets (wood) which are assumed reused 25 times

before disposal (EPD Danmark, 2023; European Commission, 2021). Thus, the modelling has been done accordingly with 1/25 virgin material input and 24/25 secondary input material. The biogenic carbon has been accounted for in both the virgin and secondary wood material.

Use stage (B1-B7) includes:

B1: No activity occurs in module B1.

B2: No activity occurs in module B2, as there are no filters that needs replacement.

B3-B5: No activity occurs in module B3-B5.

B6: Electricity (national mix) is included for the operation of the air handling unit. The electricity consumption is calculated based on annual operation time of 8.760 hours with a performance of max flow rate of 53% for MicroVent. The annual electricity use is listed in the table below.

	m3/hour	kWh/year
MV2	26	35.9
MV3	39	45.6
MV4	52	54.3
MV5	66	63.9
MV6	79	72.7
MV7	92	82.3
MV8	104	91.1

B6 is modelled for the RSL of 20 years.

B7: No activity occurs in module B7.

End of Life (C1-C4) includes:

For the end of life scenario, a 100% collection rate is assumed.

Module C1 is assumed to be zero using manual dismantling.

In C2, the transport distances scenario is set to 50 km by truck based on a Danish national scenario.

In module C3 an incineration rate of 8% for the plastic is assumed. The steel is modelled as 90% recycled and 10% landfilled. The electronics are modelled recycled in accordance to the cPCR. The amount of electronics is modelled as replaced with the raw materials from the ecoinvent process “market for electronics, for control units”. This process consists of 46% steel, 32% plastics, 14%

PCB and 8% cables. Cables consists of 66% copper and 34% plastics. PCB consists of copper, resin and glass fiber (assumption of 33% each). This share is used to model the benefits beyond the system boundary in module D. In C4 10% of the steel is modelled using a landfill process for metal.

Re-use, recovery and recycling potential (D) includes:

Module D includes reuse, recovery and/or recycling potential, expressed as net impact and benefits, due to reuse, recycling and incineration of materials with energy recovery in module C3.

The credit for plastic is calculated as the difference between production of new plastic granulates and the production of plastic granulates from secondary material. The process for production of plastic granulates from secondary material, calculates that an input of 1.19 kg plastic is needed to produce 1 kg of plastic granulates from secondary material.

The credit of steel is calculated as the difference between production of new primary steel using the blast furnace (BF) route and production of secondary steel from post-consumer scrap using the electric arc furnace (EAF) route. By crediting the difference between these two production routes, the environmental impacts from producing secondary steel from post-consumer steel scrap is subtracted from the environmental impacts from producing primary steel, and an overestimation of the credit in module D has been avoided. Furthermore, secondary material input in A1 for steel (15% for steel plate for MV and 20% for steel for add-on steel screens) has been subtracted the total amount for credit in module D.

The energy recovery is credited in module D and the energy recovered is based on the calorific values of the different raw materials from incineration of plastic.

Credit of copper, resin and glass fiber is modelled as avoided production of these new raw materials.

Note

It should be noted that the packaging material, EU pallets (wood), has an uptake of biogenic carbon in life cycle module A3. This biogenic carbon is released again in life cycle module A5, but module A5 is not declared in this EPD. However, the uptake of biogenic carbon from the packaging material is small as related to the total climate change (GWP-total) for life cycle modules A1-3.

No known cut-offs have been made in this EPD. As the production is manually assembly no lubricants, oils or auxiliaries are present in the production, thus not included in the LCA.

LCA results

MicroVent

MV2

ENVIRONMENTAL IMPACTS PER 1 piece MV2													
Indicator	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	2.66E+02	2.00E-01	2.22E+00	2.68E+02	0.00E+00	1.13E+02	0.00E+00	0.00E+00	1.36E-02	5.54E-01	4.62E-04	-4.62E+00
GWP-fossil	kg CO ₂ eq.	2.65E+02	1.99E-01	7.96E+00	2.73E+02	0.00E+00	1.13E+02	0.00E+00	0.00E+00	1.33E-02	5.47E-01	4.62E-04	-4.60E+00
GWP-biogenic	kg CO ₂ eq.	2.65E-01	1.68E-04	-5.75E+00	-5.49E+00	0.00E+00	8.18E-01	0.00E+00	0.00E+00	3.19E-05	6.50E-03	-1.82E-06	-2.27E-02
GWP-luluc	kg CO ₂ eq.	3.41E-01	7.30E-04	7.42E-03	3.49E-01	0.00E+00	4.14E-02	0.00E+00	0.00E+00	2.24E-04	9.30E-05	2.02E-06	-2.71E-03
ODP	kg CFC 11 eq.	1.63E-05	1.86E-14	4.19E-10	1.63E-05	0.00E+00	3.51E-09	0.00E+00	0.00E+00	1.97E-15	1.09E-09	1.44E-15	-1.90E-11
AP	mol H ⁺ eq.	1.60E+00	2.91E-03	2.47E-02	1.63E+00	0.00E+00	2.24E-01	0.00E+00	0.00E+00	2.15E-05	3.96E-04	2.89E-06	-1.33E-02
EP-freshwater	kg P eq.	3.33E-01	2.15E-07	1.26E-04	3.33E-01	0.00E+00	1.04E-03	0.00E+00	0.00E+00	5.70E-08	5.52E-06	9.40E-10	-6.34E-06
EP-marine	kg N eq.	3.53E-01	1.23E-03	8.01E-03	3.62E-01	0.00E+00	7.23E-02	0.00E+00	0.00E+00	8.03E-06	1.39E-04	7.01E-07	-2.34E-03
EP-terrestrial	mol N eq.	3.71E+00	1.35E-02	6.39E-02	3.78E+00	0.00E+00	6.79E-01	0.00E+00	0.00E+00	9.43E-05	1.62E-03	7.70E-06	-2.41E-02
POCP	kg NMVOC eq.	1.06E+00	3.36E-03	1.82E-02	1.09E+00	0.00E+00	1.67E-01	0.00E+00	0.00E+00	2.09E-05	5.01E-04	2.20E-06	-8.32E-03
ADPm ¹	kg Sb eq.	8.94E-02	1.13E-08	1.83E-06	8.94E-02	0.00E+00	6.05E-05	0.00E+00	0.00E+00	1.16E-09	2.42E-07	3.11E-11	-2.67E-04
ADPF ¹	MJ	4.14E+03	2.48E+00	9.70E+01	4.24E+03	0.00E+00	1.43E+03	0.00E+00	0.00E+00	1.76E-01	9.45E-01	7.70E-03	-1.33E+02
WDP ¹	m ³ world eq. deprived	9.30E+01	1.07E-03	1.10E+00	9.41E+01	0.00E+00	1.70E+01	0.00E+00	0.00E+00	2.07E-04	-2.38E-01	5.68E-05	-2.23E-01
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPF = Abiotic Depletion Potential – fossil fuels; WDP = water use												
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.												

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 piece MV2													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PM	[Disease incidence]	1.33E-05	7.55E-08	2.30E-07	1.36E-05	0.00E+00	1.91E-06	0.00E+00	0.00E+00	2.24E-10	1.29E-08	3.35E-11	-1.27E-07
IRP ²	[kBq U235 eq.]	3.00E+01	3.87E-04	3.94E-01	3.04E+01	0.00E+00	1.73E+01	0.00E+00	0.00E+00	4.65E-05	3.34E-03	1.43E-05	6.12E-02
ETP-fw ¹	[CTUe]	6.94E+03	2.07E+00	1.35E+01	6.96E+03	0.00E+00	4.07E+02	0.00E+00	0.00E+00	1.31E-01	5.44E-01	4.69E-03	-6.33E+01
HTP-c ¹	[CTUh]	5.63E-07	3.59E-11	1.99E-09	5.65E-07	0.00E+00	9.70E-08	0.00E+00	0.00E+00	2.64E-12	3.74E-10	1.02E-13	-3.25E-09
HTP-nc ¹	[CTUh]	8.53E-06	1.02E-09	8.47E-08	8.62E-06	0.00E+00	6.06E-07	0.00E+00	0.00E+00	1.18E-10	7.61E-10	3.62E-12	-7.91E-08
SQP ¹	-	1.13E+03	2.86E-01	5.94E+02	1.72E+03	0.00E+00	3.16E+03	0.00E+00	0.00E+00	8.65E-02	1.43E+00	1.41E-03	-2.21E+01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality												
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.												

RESOURCE USE PER 1 piece MV2

Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PERE	[MJ]	3.86E+02	5.86E-02	1.48E+02	5.35E+02	0.00E+00	5.37E+03	0.00E+00	0.00E+00	1.52E-02	7.52E-02	1.14E-03	-1.54E+01
PERM	[MJ]	4.96E+00	0.00E+00	6.67E+01	7.16E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	3.91E+02	5.86E-02	2.15E+02	6.06E+02	0.00E+00	5.37E+03	0.00E+00	0.00E+00	1.52E-02	7.52E-02	1.14E-03	-1.54E+01
PENRE	[MJ]	4.05E+03	2.48E+00	1.08E+02	4.16E+03	0.00E+00	1.43E+03	0.00E+00	0.00E+00	1.76E-01	8.33E+01	7.70E-03	-1.33E+02
PENRM	[MJ]	9.57E+01	0.00E+00	-1.10E+01	8.46E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-8.24E+01	0.00E+00	0.00E+00
PENRT	[MJ]	4.14E+03	2.48E+00	9.70E+01	4.24E+03	0.00E+00	1.43E+03	0.00E+00	0.00E+00	1.76E-01	9.45E-01	7.70E-03	-1.33E+02
SM	[kg]	2.67E-01	0.00E+00	3.66E+00	3.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	2.19E+00	6.98E-05	3.87E-02	2.23E+00	0.00E+00	1.96E+00	0.00E+00	0.00E+00	1.69E-05	-5.53E-03	1.72E-06	-1.75E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water												

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 piece MV2

Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
HWD	[kg]	1.13E+01	1.30E-10	5.99E-05	1.13E+01	0.00E+00	1.30E-05	0.00E+00	0.00E+00	6.74E-12	1.87E-03	1.83E-12	2.09E-07
NHWD	[kg]	1.67E-01	2.14E-04	2.33E-01	4.01E-01	0.00E+00	7.51E+00	0.00E+00	0.00E+00	2.87E-05	1.93E-03	2.23E-02	5.98E-03
RWD	[kg]	2.45E-03	3.47E-06	3.31E-03	5.76E-03	0.00E+00	1.49E-01	0.00E+00	0.00E+00	3.20E-07	3.23E-06	1.05E-07	-2.00E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	8.14E-02	8.14E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.81E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.94E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.07E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy												

BIOGENIC CARBON CONTENT PER 1 piece MV2

Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	1.73E+00

MV3

ENVIRONMENTAL IMPACTS PER 1 piece MV3													
Indicator	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	3.26E+02	2.38E-01	3.83E+00	3.30E+02	0.00E+00	1.44E+02	0.00E+00	0.00E+00	1.76E-02	7.57E-01	5.86E-04	-5.87E+00
GWP-fossil	kg CO ₂ eq.	3.25E+02	2.36E-01	9.56E+00	3.35E+02	0.00E+00	1.43E+02	0.00E+00	0.00E+00	1.73E-02	7.48E-01	5.86E-04	-5.84E+00
GWP-biogenic	kg CO ₂ eq.	4.52E-01	2.05E-04	-5.74E+00	-5.28E+00	0.00E+00	1.04E+00	0.00E+00	0.00E+00	4.13E-05	8.28E-03	-2.30E-06	-3.02E-02
GWP-luluc	kg CO ₂ eq.	4.13E-01	9.14E-04	8.25E-03	4.22E-01	0.00E+00	5.26E-02	0.00E+00	0.00E+00	2.91E-04	1.03E-04	2.56E-06	-3.14E-03
ODP	kg CFC 11 eq.	2.10E-05	2.22E-14	5.06E-10	2.10E-05	0.00E+00	4.45E-09	0.00E+00	0.00E+00	2.55E-15	1.35E-09	1.83E-15	-2.55E-11
AP	mol H ⁺ eq.	1.90E+00	3.41E-03	2.90E-02	1.93E+00	0.00E+00	2.84E-01	0.00E+00	0.00E+00	2.78E-05	4.83E-04	3.67E-06	-1.58E-02
EP-freshwater	kg P eq.	3.70E-01	2.67E-07	1.48E-04	3.70E-01	0.00E+00	1.32E-03	0.00E+00	0.00E+00	7.39E-08	6.62E-06	1.19E-09	-8.06E-06
EP-marine	kg N eq.	4.15E-01	1.44E-03	9.40E-03	4.26E-01	0.00E+00	9.18E-02	0.00E+00	0.00E+00	1.04E-05	1.70E-04	8.90E-07	-2.92E-03
EP-terrestrial	mol N eq.	4.31E+00	1.58E-02	7.49E-02	4.40E+00	0.00E+00	8.62E-01	0.00E+00	0.00E+00	1.22E-04	2.00E-03	9.77E-06	-3.01E-02
POCP	kg NMVOC eq.	1.26E+00	3.92E-03	2.14E-02	1.28E+00	0.00E+00	2.12E-01	0.00E+00	0.00E+00	2.70E-05	6.15E-04	2.80E-06	-1.04E-02
ADPm ¹	kg Sb eq.	9.31E-02	1.35E-08	2.16E-06	9.31E-02	0.00E+00	7.68E-05	0.00E+00	0.00E+00	1.51E-09	2.98E-07	3.95E-11	-2.91E-04
ADPf ¹	MJ	5.08E+03	2.94E+00	1.14E+02	5.19E+03	0.00E+00	1.82E+03	0.00E+00	0.00E+00	2.28E-01	1.17E+00	9.77E-03	-1.75E+02
WDP ¹	m ³ world eq. deprived	1.13E+02	1.31E-03	1.30E+00	1.15E+02	0.00E+00	2.15E+01	0.00E+00	0.00E+00	2.68E-04	-3.31E-01	7.21E-05	-2.39E-01
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use												
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.												

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 piece MV3													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PM	[Disease incidence]	1.59E-05	8.82E-08	2.64E-07	1.62E-05	0.00E+00	2.43E-06	0.00E+00	0.00E+00	2.90E-10	1.71E-08	4.25E-11	-1.50E-07
IRP ²	[kBq U235 eq.]	3.67E+01	4.64E-04	4.64E-01	3.72E+01	0.00E+00	2.20E+01	0.00E+00	0.00E+00	6.02E-05	4.41E-03	1.82E-05	8.17E-02
ETP-fw ¹	[CTUe]	7.44E+03	2.45E+00	1.57E+01	7.45E+03	0.00E+00	5.17E+02	0.00E+00	0.00E+00	1.69E-01	6.85E-01	5.95E-03	-8.36E+01
HTP-c ¹	[CTUh]	6.74E-07	4.26E-11	2.34E-09	6.76E-07	0.00E+00	1.23E-07	0.00E+00	0.00E+00	3.42E-12	4.52E-10	1.29E-13	-4.01E-09
HTP-nc ¹	[CTUh]	9.90E-06	1.23E-09	9.95E-08	1.00E-05	0.00E+00	7.70E-07	0.00E+00	0.00E+00	1.53E-10	9.37E-10	4.60E-12	-1.00E-07
SQP ¹	-	1.29E+03	3.57E-01	6.91E+02	1.98E+03	0.00E+00	4.02E+03	0.00E+00	0.00E+00	1.12E-01	1.87E+00	1.79E-03	-2.92E+01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality												
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.												

RESOURCE USE PER 1 piece MV3													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PERE	[MJ]	4.77E+02	7.26E-02	1.87E+02	6.64E+02	0.00E+00	6.82E+03	0.00E+00	0.00E+00	1.96E-02	9.96E-02	1.45E-03	-2.07E+01
PERM	[MJ]	5.03E+00	0.00E+00	6.66E+01	7.16E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	4.82E+02	7.26E-02	2.54E+02	7.36E+02	0.00E+00	6.82E+03	0.00E+00	0.00E+00	1.96E-02	9.96E-02	1.45E-03	-2.07E+01
PENRE	[MJ]	4.94E+03	2.94E+00	1.30E+02	5.08E+03	0.00E+00	1.82E+03	0.00E+00	0.00E+00	2.28E-01	1.16E+02	9.77E-03	-1.75E+02
PENRM	[MJ]	1.33E+02	0.00E+00	-1.61E+01	1.17E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-1.15E+02	0.00E+00	0.00E+00
PENRT	[MJ]	5.08E+03	2.94E+00	1.14E+02	5.19E+03	0.00E+00	1.82E+03	0.00E+00	0.00E+00	2.28E-01	1.17E+00	9.77E-03	-1.75E+02
SM	[kg]	2.67E-01	0.00E+00	3.66E+00	3.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	2.67E+00	8.61E-05	4.50E-02	2.72E+00	0.00E+00	2.48E+00	0.00E+00	0.00E+00	2.19E-05	-7.70E-03	2.18E-06	-2.23E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water												

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 piece MV3													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
HWD	[kg]	1.37E+01	1.54E-10	8.27E-05	1.37E+01	0.00E+00	1.66E-05	0.00E+00	0.00E+00	8.73E-12	2.34E-03	2.33E-12	2.81E-07
NHWD	[kg]	2.22E-01	2.58E-04	2.74E-01	4.96E-01	0.00E+00	9.53E+00	0.00E+00	0.00E+00	3.72E-05	2.67E-03	2.83E-02	5.00E-02
RWD	[kg]	3.39E-03	4.14E-06	3.91E-03	7.31E-03	0.00E+00	1.89E-01	0.00E+00	0.00E+00	4.15E-07	4.47E-06	1.33E-07	-3.17E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	1.15E-01	1.15E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.63E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.07E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.26E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy												

BIOGENIC CARBON CONTENT PER 1 piece MV3		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	1.73E+00

MV4

ENVIRONMENTAL IMPACTS PER 1 piece MV4													
Indicator	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	3.85E+02	2.72E-01	5.09E+00	3.91E+02	0.00E+00	1.72E+02	0.00E+00	0.00E+00	2.14E-02	9.44E-01	7.11E-04	-7.04E+00
GWP-fossil	kg CO ₂ eq.	3.84E+02	2.71E-01	1.08E+01	3.95E+02	0.00E+00	1.70E+02	0.00E+00	0.00E+00	2.10E-02	9.34E-01	7.10E-04	-7.00E+00
GWP-biogenic	kg CO ₂ eq.	6.39E-01	2.36E-04	-5.72E+00	-5.08E+00	0.00E+00	1.24E+00	0.00E+00	0.00E+00	5.01E-05	1.01E-02	-2.79E-06	-3.70E-02
GWP-luluc	kg CO ₂ eq.	4.85E-01	1.06E-03	8.95E-03	4.95E-01	0.00E+00	6.26E-02	0.00E+00	0.00E+00	3.53E-04	1.13E-04	3.11E-06	-3.55E-03
ODP	kg CFC 11 eq.	2.57E-05	2.55E-14	5.79E-10	2.57E-05	0.00E+00	5.30E-09	0.00E+00	0.00E+00	3.09E-15	1.60E-09	2.22E-15	-3.14E-11
AP	mol H ⁺ eq.	2.20E+00	3.90E-03	3.28E-02	2.24E+00	0.00E+00	3.39E-01	0.00E+00	0.00E+00	3.37E-05	5.65E-04	4.45E-06	-1.81E-02
EP-freshwater	kg P eq.	4.06E-01	3.08E-07	1.67E-04	4.06E-01	0.00E+00	1.57E-03	0.00E+00	0.00E+00	8.96E-08	7.68E-06	1.45E-09	-9.67E-06
EP-marine	kg N eq.	4.77E-01	1.65E-03	1.06E-02	4.89E-01	0.00E+00	1.09E-01	0.00E+00	0.00E+00	1.26E-05	1.98E-04	1.08E-06	-3.47E-03
EP-terrestrial	mol N eq.	4.91E+00	1.81E-02	8.42E-02	5.01E+00	0.00E+00	1.03E+00	0.00E+00	0.00E+00	1.48E-04	2.35E-03	1.18E-05	-3.57E-02
POCP	kg NMVOC eq.	1.44E+00	4.49E-03	2.41E-02	1.47E+00	0.00E+00	2.52E-01	0.00E+00	0.00E+00	3.28E-05	7.23E-04	3.39E-06	-1.24E-02
ADPm ¹	kg Sb eq.	9.68E-02	1.54E-08	2.43E-06	9.68E-02	0.00E+00	9.15E-05	0.00E+00	0.00E+00	1.83E-09	3.53E-07	4.79E-11	-3.15E-04
ADPf ¹	MJ	6.00E+03	3.37E+00	1.28E+02	6.14E+03	0.00E+00	2.17E+03	0.00E+00	0.00E+00	2.76E-01	1.38E+00	1.18E-02	-2.14E+02
WDP ¹	m ³ world eq. deprived	1.34E+02	1.50E-03	1.46E+00	1.35E+02	0.00E+00	2.57E+01	0.00E+00	0.00E+00	3.25E-04	-4.17E-01	8.74E-05	-2.55E-01
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use												
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.												

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 piece MV4													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PM	[Disease incidence]	1.85E-05	1.01E-07	2.93E-07	1.89E-05	0.00E+00	2.89E-06	0.00E+00	0.00E+00	3.52E-10	2.10E-08	5.15E-11	-1.73E-07
IRP ²	[kBq U235 eq.]	4.34E+01	5.33E-04	5.20E-01	4.39E+01	0.00E+00	2.62E+01	0.00E+00	0.00E+00	7.30E-05	5.40E-03	2.21E-05	1.01E-01
ETP-fw ¹	[CTUe]	7.93E+03	2.81E+00	1.74E+01	7.95E+03	0.00E+00	6.16E+02	0.00E+00	0.00E+00	2.05E-01	8.17E-01	7.21E-03	-1.02E+02
HTP-c ¹	[CTUh]	7.85E-07	4.88E-11	2.63E-09	7.87E-07	0.00E+00	1.47E-07	0.00E+00	0.00E+00	4.14E-12	5.27E-10	1.57E-13	-4.73E-09
HTP-nc ¹	[CTUh]	1.13E-05	1.41E-09	1.12E-07	1.14E-05	0.00E+00	9.17E-07	0.00E+00	0.00E+00	1.86E-10	1.10E-09	5.57E-12	-1.20E-07
SQP ¹	-	1.45E+03	4.12E-01	7.75E+02	2.22E+03	0.00E+00	4.78E+03	0.00E+00	0.00E+00	1.36E-01	2.28E+00	2.17E-03	-3.58E+01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality												
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.												

RESOURCE USE PER 1 piece MV4													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PERE	[MJ]	5.68E+02	8.37E-02	2.19E+02	7.87E+02	0.00E+00	8.12E+03	0.00E+00	0.00E+00	2.38E-02	1.22E-01	1.76E-03	-2.57E+01
PERM	[MJ]	5.10E+00	0.00E+00	6.65E+01	7.16E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	5.73E+02	8.37E-02	2.86E+02	8.59E+02	0.00E+00	8.12E+03	0.00E+00	0.00E+00	2.38E-02	1.22E-01	1.76E-03	-2.57E+01
PENRE	[MJ]	5.84E+03	3.37E+00	1.48E+02	5.99E+03	0.00E+00	2.17E+03	0.00E+00	0.00E+00	2.76E-01	1.45E+02	1.18E-02	-2.14E+02
PENRM	[MJ]	1.66E+02	0.00E+00	-1.97E+01	1.46E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-1.44E+02	0.00E+00	0.00E+00
PENRT	[MJ]	6.01E+03	3.37E+00	1.28E+02	6.14E+03	0.00E+00	2.17E+03	0.00E+00	0.00E+00	2.76E-01	1.38E+00	1.18E-02	-2.14E+02
SM	[kg]	2.67E-01	0.00E+00	3.66E+00	3.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	3.16E+00	9.92E-05	5.01E-02	3.21E+00	0.00E+00	2.96E+00	0.00E+00	0.00E+00	2.65E-05	-9.70E-03	2.64E-06	-2.68E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water												

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 piece MV4													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
HWD	[kg]	1.60E+01	1.76E-10	1.05E-04	1.60E+01	0.00E+00	1.97E-05	0.00E+00	0.00E+00	1.06E-11	2.79E-03	2.82E-12	3.48E-07
NHWD	[kg]	2.72E-01	2.96E-04	3.08E-01	5.81E-01	0.00E+00	1.14E+01	0.00E+00	0.00E+00	4.51E-05	3.36E-03	3.43E-02	8.95E-02
RWD	[kg]	4.29E-03	4.75E-06	4.40E-03	8.69E-03	0.00E+00	2.25E-01	0.00E+00	0.00E+00	5.04E-07	5.62E-06	1.61E-07	-4.16E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	1.49E-01	1.49E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.39E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.12E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.35E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy												

BIOGENIC CARBON CONTENT PER 1 piece MV4		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	1.73E+00

MV5

ENVIRONMENTAL IMPACTS PER 1 piece MV5													
Indicator	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	4.45E+02	3.08E-01	6.52E+00	4.52E+02	0.00E+00	2.02E+02	0.00E+00	0.00E+00	2.53E-02	1.14E+00	8.37E-04	-8.26E+00
GWP-fossil	kg CO ₂ eq.	4.44E+02	3.07E-01	1.22E+01	4.56E+02	0.00E+00	2.00E+02	0.00E+00	0.00E+00	2.48E-02	1.13E+00	8.37E-04	-8.21E+00
GWP-biogenic	kg CO ₂ eq.	8.25E-01	2.70E-04	-5.71E+00	-4.88E+00	0.00E+00	1.46E+00	0.00E+00	0.00E+00	5.92E-05	1.19E-02	-3.29E-06	-4.42E-02
GWP-luluc	kg CO ₂ eq.	5.57E-01	1.22E-03	9.72E-03	5.68E-01	0.00E+00	7.37E-02	0.00E+00	0.00E+00	4.17E-04	1.23E-04	3.66E-06	-3.97E-03
ODP	kg CFC 11 eq.	3.04E-05	2.90E-14	6.58E-10	3.04E-05	0.00E+00	6.24E-09	0.00E+00	0.00E+00	3.65E-15	1.86E-09	2.62E-15	-3.75E-11
AP	mol H ⁺ eq.	2.51E+00	4.39E-03	3.68E-02	2.55E+00	0.00E+00	3.99E-01	0.00E+00	0.00E+00	3.98E-05	6.50E-04	5.24E-06	-2.05E-02
EP-freshwater	kg P eq.	4.42E-01	3.54E-07	1.88E-04	4.43E-01	0.00E+00	1.85E-03	0.00E+00	0.00E+00	1.06E-07	8.77E-06	1.70E-09	-1.13E-05
EP-marine	kg N eq.	5.39E-01	1.86E-03	1.19E-02	5.53E-01	0.00E+00	1.29E-01	0.00E+00	0.00E+00	1.49E-05	2.28E-04	1.27E-06	-4.04E-03
EP-terrestrial	mol N eq.	5.51E+00	2.04E-02	9.45E-02	5.62E+00	0.00E+00	1.21E+00	0.00E+00	0.00E+00	1.75E-04	2.72E-03	1.40E-05	-4.14E-02
POCP	kg NMVOC eq.	1.63E+00	5.05E-03	2.70E-02	1.67E+00	0.00E+00	2.97E-01	0.00E+00	0.00E+00	3.87E-05	8.34E-04	3.99E-06	-1.44E-02
ADPm ¹	kg Sb eq.	1.00E-01	1.75E-08	2.73E-06	1.00E-01	0.00E+00	1.08E-04	0.00E+00	0.00E+00	2.16E-09	4.09E-07	5.64E-11	-3.39E-04
ADPf ¹	MJ	6.94E+03	3.82E+00	1.44E+02	7.09E+03	0.00E+00	2.55E+03	0.00E+00	0.00E+00	3.27E-01	1.60E+00	1.40E-02	-2.55E+02
WDP ¹	m ³ world eq. deprived	1.54E+02	1.72E-03	1.65E+00	1.55E+02	0.00E+00	3.02E+01	0.00E+00	0.00E+00	3.84E-04	-5.07E-01	1.03E-04	-2.71E-01
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use												
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.												

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 piece MV5													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PM	[Disease incidence]	2.12E-05	1.14E-07	3.25E-07	2.16E-05	0.00E+00	3.40E-06	0.00E+00	0.00E+00	4.16E-10	2.50E-08	6.07E-11	-1.96E-07
IRP ²	[kBq U235 eq.]	5.01E+01	6.06E-04	5.83E-01	5.07E+01	0.00E+00	3.08E+01	0.00E+00	0.00E+00	8.63E-05	6.44E-03	2.60E-05	1.21E-01
ETP-fw ¹	[CTUe]	8.42E+03	3.18E+00	1.93E+01	8.44E+03	0.00E+00	7.25E+02	0.00E+00	0.00E+00	2.43E-01	9.54E-01	8.50E-03	-1.22E+02
HTP-c ¹	[CTUh]	8.96E-07	5.53E-11	2.96E-09	8.99E-07	0.00E+00	1.73E-07	0.00E+00	0.00E+00	4.90E-12	6.04E-10	1.85E-13	-5.48E-09
HTP-nc ¹	[CTUh]	1.26E-05	1.60E-09	1.26E-07	1.28E-05	0.00E+00	1.08E-06	0.00E+00	0.00E+00	2.20E-10	1.28E-09	6.56E-12	-1.41E-07
SQP ¹	-	1.61E+03	4.76E-01	8.67E+02	2.48E+03	0.00E+00	5.63E+03	0.00E+00	0.00E+00	1.61E-01	2.70E+00	2.56E-03	-4.27E+01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality												
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.												

RESOURCE USE PER 1 piece MV5													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PERE	[MJ]	6.59E+02	9.62E-02	2.55E+02	9.14E+02	0.00E+00	9.55E+03	0.00E+00	0.00E+00	2.81E-02	1.46E-01	2.07E-03	-3.08E+01
PERM	[MJ]	5.17E+00	0.00E+00	6.65E+01	7.16E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	6.64E+02	9.62E-02	3.21E+02	9.86E+02	0.00E+00	9.55E+03	0.00E+00	0.00E+00	2.81E-02	1.46E-01	2.07E-03	-3.08E+01
PENRE	[MJ]	6.74E+03	3.82E+00	1.68E+02	6.91E+03	0.00E+00	2.55E+03	0.00E+00	0.00E+00	3.27E-01	1.76E+02	1.40E-02	-2.55E+02
PENRM	[MJ]	2.01E+02	0.00E+00	-2.40E+01	1.77E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-1.75E+02	0.00E+00	0.00E+00
PENRT	[MJ]	6.94E+03	3.82E+00	1.44E+02	7.09E+03	0.00E+00	2.55E+03	0.00E+00	0.00E+00	3.27E-01	1.60E+00	1.40E-02	-2.55E+02
SM	[kg]	2.67E-01	0.00E+00	3.66E+00	3.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	3.64E+00	1.14E-04	5.59E-02	3.70E+00	0.00E+00	3.48E+00	0.00E+00	0.00E+00	3.14E-05	-1.18E-02	3.11E-06	-3.15E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water												

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 piece MV5													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
HWD	[kg]	1.84E+01	1.99E-10	1.28E-04	1.84E+01	0.00E+00	2.32E-05	0.00E+00	0.00E+00	1.25E-11	3.26E-03	3.32E-12	4.17E-07
NHWD	[kg]	3.24E-01	3.37E-04	3.46E-01	6.71E-01	0.00E+00	1.34E+01	0.00E+00	0.00E+00	5.34E-05	4.07E-03	4.05E-02	1.31E-01
RWD	[kg]	5.20E-03	5.39E-06	4.94E-03	1.01E-02	0.00E+00	2.65E-01	0.00E+00	0.00E+00	5.95E-07	6.82E-06	1.89E-07	-5.23E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	1.83E-01	1.83E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.19E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.21E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.49E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy												

BIOGENIC CARBON CONTENT PER 1 piece MV5		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	1.73E+00

MV6

ENVIRONMENTAL IMPACTS PER 1 piece MV6													
Indicator	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	5.05E+02	3.44E-01	7.91E+00	5.13E+02	0.00E+00	2.30E+02	0.00E+00	0.00E+00	2.91E-02	1.33E+00	9.61E-04	-9.46E+00
GWP-fossil	kg CO ₂ eq.	5.03E+02	3.42E-01	1.36E+01	5.17E+02	0.00E+00	2.28E+02	0.00E+00	0.00E+00	2.86E-02	1.32E+00	9.61E-04	-9.41E+00
GWP-biogenic	kg CO ₂ eq.	1.01E+00	3.04E-04	-5.69E+00	-4.68E+00	0.00E+00	1.66E+00	0.00E+00	0.00E+00	6.83E-05	1.36E-02	-3.78E-06	-5.13E-02
GWP-luluc	kg CO ₂ eq.	6.29E-01	1.38E-03	1.05E-02	6.41E-01	0.00E+00	8.38E-02	0.00E+00	0.00E+00	4.81E-04	1.33E-04	4.20E-06	-4.38E-03
ODP	kg CFC 11 eq.	3.51E-05	3.25E-14	7.34E-10	3.51E-05	0.00E+00	7.10E-09	0.00E+00	0.00E+00	4.21E-15	2.12E-09	3.00E-15	-4.37E-11
AP	mol H ⁺ eq.	2.81E+00	4.88E-03	4.08E-02	2.85E+00	0.00E+00	4.53E-01	0.00E+00	0.00E+00	4.59E-05	7.33E-04	6.02E-06	-2.29E-02
EP-freshwater	kg P eq.	4.79E-01	4.01E-07	2.08E-04	4.79E-01	0.00E+00	2.10E-03	0.00E+00	0.00E+00	1.22E-07	9.84E-06	1.96E-09	-1.30E-05
EP-marine	kg N eq.	6.01E-01	2.06E-03	1.32E-02	6.16E-01	0.00E+00	1.46E-01	0.00E+00	0.00E+00	1.72E-05	2.57E-04	1.46E-06	-4.60E-03
EP-terrestrial	mol N eq.	6.11E+00	2.26E-02	1.05E-01	6.23E+00	0.00E+00	1.37E+00	0.00E+00	0.00E+00	2.02E-04	3.08E-03	1.60E-05	-4.71E-02
POCP	kg NMVOC eq.	1.82E+00	5.62E-03	2.99E-02	1.86E+00	0.00E+00	3.38E-01	0.00E+00	0.00E+00	4.47E-05	9.44E-04	4.59E-06	-1.65E-02
ADPm ¹	kg Sb eq.	1.04E-01	1.96E-08	3.02E-06	1.04E-01	0.00E+00	1.22E-04	0.00E+00	0.00E+00	2.49E-09	4.64E-07	6.47E-11	-3.62E-04
ADPf ¹	MJ	7.87E+03	4.26E+00	1.59E+02	8.03E+03	0.00E+00	2.90E+03	0.00E+00	0.00E+00	3.77E-01	1.82E+00	1.60E-02	-2.95E+02
WDP ¹	m ³ world eq. deprived	1.74E+02	1.94E-03	1.83E+00	1.76E+02	0.00E+00	3.44E+01	0.00E+00	0.00E+00	4.43E-04	-5.96E-01	1.18E-04	-2.86E-01
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use												
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.												

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 piece MV6													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PM	[Disease incidence]	2.38E-05	1.26E-07	3.56E-07	2.43E-05	0.00E+00	3.87E-06	0.00E+00	0.00E+00	4.80E-10	2.90E-08	6.97E-11	-2.19E-07
IRP ²	[kBq U235 eq.]	5.68E+01	6.79E-04	6.43E-01	5.75E+01	0.00E+00	3.50E+01	0.00E+00	0.00E+00	9.96E-05	7.46E-03	2.98E-05	1.40E-01
ETP-fw ¹	[CTUe]	8.91E+03	3.55E+00	2.12E+01	8.94E+03	0.00E+00	8.25E+02	0.00E+00	0.00E+00	2.80E-01	1.09E+00	9.76E-03	-1.41E+02
HTP-c ¹	[CTUh]	1.01E-06	6.18E-11	3.28E-09	1.01E-06	0.00E+00	1.96E-07	0.00E+00	0.00E+00	5.65E-12	6.80E-10	2.12E-13	-6.21E-09
HTP-nc ¹	[CTUh]	1.40E-05	1.80E-09	1.39E-07	1.41E-05	0.00E+00	1.23E-06	0.00E+00	0.00E+00	2.54E-10	1.45E-09	7.54E-12	-1.61E-07
SQP ¹	-	1.77E+03	5.39E-01	9.58E+02	2.73E+03	0.00E+00	6.40E+03	0.00E+00	0.00E+00	1.85E-01	3.13E+00	2.94E-03	-4.95E+01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality												
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.												

RESOURCE USE PER 1 piece MV6													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PERE	[MJ]	7.50E+02	1.09E-01	2.90E+02	1.04E+03	0.00E+00	1.09E+04	0.00E+00	0.00E+00	3.25E-02	1.70E-01	2.38E-03	-3.60E+01
PERM	[MJ]	5.24E+00	0.00E+00	6.64E+01	7.16E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	7.55E+02	1.09E-01	3.56E+02	1.11E+03	0.00E+00	1.09E+04	0.00E+00	0.00E+00	3.25E-02	1.70E-01	2.38E-03	-3.60E+01
PENRE	[MJ]	7.63E+03	4.26E+00	1.88E+02	7.83E+03	0.00E+00	2.90E+03	0.00E+00	0.00E+00	3.77E-01	2.07E+02	1.60E-02	-2.95E+02
PENRM	[MJ]	2.36E+02	0.00E+00	-2.83E+01	2.08E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-2.05E+02	0.00E+00	0.00E+00
PENRT	[MJ]	7.87E+03	4.26E+00	1.59E+02	8.03E+03	0.00E+00	2.90E+03	0.00E+00	0.00E+00	3.77E-01	1.82E+00	1.60E-02	-2.95E+02
SM	[kg]	2.67E-01	0.00E+00	3.66E+00	3.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	4.12E+00	1.29E-04	6.16E-02	4.19E+00	0.00E+00	3.96E+00	0.00E+00	0.00E+00	3.62E-05	-1.39E-02	3.58E-06	-3.61E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water												

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 piece MV6													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
HWD	[kg]	2.07E+01	2.22E-10	1.51E-04	2.07E+01	0.00E+00	2.64E-05	0.00E+00	0.00E+00	1.44E-11	3.71E-03	3.82E-12	4.86E-07
NHWD	[kg]	3.77E-01	3.78E-04	3.83E-01	7.60E-01	0.00E+00	1.52E+01	0.00E+00	0.00E+00	6.15E-05	4.79E-03	4.65E-02	1.73E-01
RWD	[kg]	6.12E-03	6.03E-06	5.45E-03	1.16E-02	0.00E+00	3.02E-01	0.00E+00	0.00E+00	6.86E-07	8.01E-06	2.18E-07	-6.31E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	2.17E-01	2.17E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.97E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.30E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.63E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy												

BIOGENIC CARBON CONTENT PER 1 piece MV6		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	1.73E+00

MV7

ENVIRONMENTAL IMPACTS PER 1 piece MV7													
Indicator	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	5.65E+02	3.86E-01	9.62E+00	5.76E+02	0.00E+00	2.60E+02	0.00E+00	0.00E+00	3.38E-02	1.57E+00	1.09E-03	-1.09E+01
GWP-fossil	kg CO ₂ eq.	5.64E+02	3.84E-01	1.53E+01	5.79E+02	0.00E+00	2.58E+02	0.00E+00	0.00E+00	3.31E-02	1.56E+00	1.09E-03	-1.08E+01
GWP-biogenic	kg CO ₂ eq.	1.20E+00	3.51E-04	-5.68E+00	-4.48E+00	0.00E+00	1.87E+00	0.00E+00	0.00E+00	7.92E-05	1.54E-02	-4.27E-06	-6.00E-02
GWP-luluc	kg CO ₂ eq.	7.01E-01	1.64E-03	1.12E-02	7.14E-01	0.00E+00	9.49E-02	0.00E+00	0.00E+00	5.57E-04	1.43E-04	4.75E-06	-4.85E-03
ODP	kg CFC 11 eq.	3.97E-05	3.68E-14	8.13E-10	3.97E-05	0.00E+00	8.04E-09	0.00E+00	0.00E+00	4.88E-15	2.42E-09	3.39E-15	-5.12E-11
AP	mol H ⁺ eq.	3.11E+00	5.38E-03	4.49E-02	3.16E+00	0.00E+00	5.13E-01	0.00E+00	0.00E+00	5.33E-05	8.32E-04	6.80E-06	-2.57E-02
EP-freshwater	kg P eq.	5.15E-01	4.71E-07	2.29E-04	5.15E-01	0.00E+00	2.38E-03	0.00E+00	0.00E+00	1.42E-07	1.11E-05	2.21E-09	-1.50E-05
EP-marine	kg N eq.	6.63E-01	2.27E-03	1.44E-02	6.80E-01	0.00E+00	1.66E-01	0.00E+00	0.00E+00	1.99E-05	2.92E-04	1.65E-06	-5.27E-03
EP-terrestrial	mol N eq.	6.71E+00	2.50E-02	1.15E-01	6.85E+00	0.00E+00	1.56E+00	0.00E+00	0.00E+00	2.34E-04	3.51E-03	1.81E-05	-5.39E-02
POCP	kg NMVOC eq.	2.02E+00	6.19E-03	3.28E-02	2.06E+00	0.00E+00	3.82E-01	0.00E+00	0.00E+00	5.18E-05	1.07E-03	5.18E-06	-1.89E-02
ADPm ¹	kg Sb eq.	1.08E-01	2.22E-08	3.31E-06	1.08E-01	0.00E+00	1.39E-04	0.00E+00	0.00E+00	2.89E-09	5.25E-07	7.31E-11	-3.88E-04
ADPf ¹	MJ	8.82E+03	4.78E+00	1.75E+02	9.00E+03	0.00E+00	3.29E+03	0.00E+00	0.00E+00	4.37E-01	2.08E+00	1.81E-02	-3.44E+02
WDP ¹	m ³ world eq. deprived	1.95E+02	2.24E-03	2.03E+00	1.97E+02	0.00E+00	3.89E+01	0.00E+00	0.00E+00	5.14E-04	-7.06E-01	1.34E-04	-3.02E-01
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use												
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.												

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 piece MV7													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PM	[Disease incidence]	2.65E-05	1.39E-07	3.88E-07	2.70E-05	0.00E+00	4.38E-06	0.00E+00	0.00E+00	5.56E-10	3.39E-08	7.87E-11	-2.46E-07
IRP ²	[kBq U235 eq.]	6.36E+01	7.72E-04	7.07E-01	6.43E+01	0.00E+00	3.96E+01	0.00E+00	0.00E+00	1.15E-04	8.68E-03	3.37E-05	1.64E-01
ETP-fw ¹	[CTUe]	9.42E+03	3.97E+00	2.31E+01	9.44E+03	0.00E+00	9.34E+02	0.00E+00	0.00E+00	3.24E-01	1.25E+00	1.10E-02	-1.65E+02
HTP-c ¹	[CTUh]	1.12E-06	6.94E-11	3.61E-09	1.12E-06	0.00E+00	2.22E-07	0.00E+00	0.00E+00	6.55E-12	7.67E-10	2.40E-13	-7.06E-09
HTP-nc ¹	[CTUh]	1.54E-05	2.04E-09	1.53E-07	1.55E-05	0.00E+00	1.39E-06	0.00E+00	0.00E+00	2.94E-10	1.65E-09	8.51E-12	-1.86E-07
SQP ¹	-	1.93E+03	6.39E-01	1.05E+03	2.98E+03	0.00E+00	7.25E+03	0.00E+00	0.00E+00	2.15E-01	3.63E+00	3.32E-03	-5.78E+01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality												
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.												

RESOURCE USE PER 1 piece MV7

Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PERE	[MJ]	8.41E+02	1.28E-01	3.25E+02	1.17E+03	0.00E+00	1.23E+04	0.00E+00	0.00E+00	3.76E-02	1.98E-01	2.69E-03	-4.23E+01
PERM	[MJ]	5.31E+00	0.00E+00	6.63E+01	7.16E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	8.47E+02	1.28E-01	3.91E+02	1.24E+03	0.00E+00	1.23E+04	0.00E+00	0.00E+00	3.76E-02	1.98E-01	2.69E-03	-4.23E+01
PENRE	[MJ]	8.54E+03	4.78E+00	2.11E+02	8.76E+03	0.00E+00	3.29E+03	0.00E+00	0.00E+00	4.37E-01	2.44E+02	1.81E-02	-3.44E+02
PENRM	[MJ]	2.81E+02	0.00E+00	-3.59E+01	2.45E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-2.42E+02	0.00E+00	0.00E+00
PENRT	[MJ]	8.82E+03	4.78E+00	1.75E+02	9.00E+03	0.00E+00	3.29E+03	0.00E+00	0.00E+00	4.37E-01	2.08E+00	1.81E-02	-3.44E+02
SM	[kg]	2.67E-01	0.00E+00	3.66E+00	3.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	4.61E+00	1.50E-04	6.78E-02	4.68E+00	0.00E+00	4.48E+00	0.00E+00	0.00E+00	4.19E-05	-1.64E-02	4.04E-06	-4.17E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water												

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 piece MV7

Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
HWD	[kg]	2.31E+01	2.48E-10	1.73E-04	2.31E+01	0.00E+00	2.99E-05	0.00E+00	0.00E+00	1.67E-11	4.25E-03	4.31E-12	5.70E-07
NHWD	[kg]	4.39E-01	4.31E-04	4.21E-01	8.61E-01	0.00E+00	1.72E+01	0.00E+00	0.00E+00	7.13E-05	5.66E-03	5.25E-02	2.27E-01
RWD	[kg]	7.16E-03	6.80E-06	5.99E-03	1.32E-02	0.00E+00	3.42E-01	0.00E+00	0.00E+00	7.96E-07	9.48E-06	2.46E-07	-7.87E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	2.51E-01	2.51E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	6.92E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.63E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.03E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy												

BIOGENIC CARBON CONTENT PER 1 piece MV7

Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	1.73E+00

MV8

ENVIRONMENTAL IMPACTS PER 1 piece MV8													
Indicator	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	6.25E+02	4.20E-01	1.08E+01	6.36E+02	0.00E+00	2.88E+02	0.00E+00	0.00E+00	3.73E-02	1.75E+00	1.21E-03	-1.20E+01
GWP-fossil	kg CO ₂ eq.	6.23E+02	4.17E-01	1.65E+01	6.40E+02	0.00E+00	2.86E+02	0.00E+00	0.00E+00	3.66E-02	1.73E+00	1.21E-03	-1.19E+01
GWP-biogenic	kg CO ₂ eq.	1.39E+00	3.80E-04	-5.67E+00	-4.28E+00	0.00E+00	2.07E+00	0.00E+00	0.00E+00	8.75E-05	1.72E-02	-4.76E-06	-6.65E-02
GWP-luluc	kg CO ₂ eq.	7.73E-01	1.76E-03	1.19E-02	7.86E-01	0.00E+00	1.05E-01	0.00E+00	0.00E+00	6.16E-04	1.53E-04	5.30E-06	-5.24E-03
ODP	kg CFC 11 eq.	4.44E-05	3.99E-14	8.85E-10	4.44E-05	0.00E+00	8.90E-09	0.00E+00	0.00E+00	5.40E-15	2.66E-09	3.79E-15	-5.68E-11
AP	mol H ⁺ eq.	3.41E+00	5.87E-03	4.85E-02	3.47E+00	0.00E+00	5.68E-01	0.00E+00	0.00E+00	5.89E-05	9.10E-04	7.59E-06	-2.79E-02
EP-freshwater	kg P eq.	5.52E-01	5.08E-07	2.47E-04	5.52E-01	0.00E+00	2.63E-03	0.00E+00	0.00E+00	1.56E-07	1.21E-05	2.47E-09	-1.65E-05
EP-marine	kg N eq.	7.25E-01	2.48E-03	1.56E-02	7.43E-01	0.00E+00	1.83E-01	0.00E+00	0.00E+00	2.20E-05	3.19E-04	1.84E-06	-5.79E-03
EP-terrestrial	mol N eq.	7.31E+00	2.72E-02	1.24E-01	7.46E+00	0.00E+00	1.72E+00	0.00E+00	0.00E+00	2.59E-04	3.84E-03	2.02E-05	-5.92E-02
POCP	kg NMVOC eq.	2.21E+00	6.75E-03	3.55E-02	2.25E+00	0.00E+00	4.23E-01	0.00E+00	0.00E+00	5.72E-05	1.18E-03	5.78E-06	-2.07E-02
ADPm ¹	kg Sb eq.	1.11E-01	2.41E-08	3.58E-06	1.11E-01	0.00E+00	1.53E-04	0.00E+00	0.00E+00	3.19E-09	5.78E-07	8.16E-11	-4.11E-04
ADPf ¹	MJ	9.75E+03	5.20E+00	1.89E+02	9.94E+03	0.00E+00	3.64E+03	0.00E+00	0.00E+00	4.83E-01	2.28E+00	2.02E-02	-3.81E+02
WDP ¹	m ³ world eq. deprived	2.15E+02	2.42E-03	2.19E+00	2.17E+02	0.00E+00	4.31E+01	0.00E+00	0.00E+00	5.68E-04	-7.86E-01	1.49E-04	-3.18E-01
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use												
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.												

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 piece MV8													
Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PM	[Disease incidence]	2.91E-05	1.52E-07	4.17E-07	2.97E-05	0.00E+00	4.85E-06	0.00E+00	0.00E+00	6.15E-10	3.75E-08	8.79E-11	-2.68E-07
IRP ²	[kBq U235 eq.]	7.03E+01	8.38E-04	7.63E-01	7.10E+01	0.00E+00	4.39E+01	0.00E+00	0.00E+00	1.28E-04	9.63E-03	3.76E-05	1.82E-01
ETP-fw ¹	[CTUe]	9.90E+03	4.32E+00	2.49E+01	9.93E+03	0.00E+00	1.03E+03	0.00E+00	0.00E+00	3.58E-01	1.38E+00	1.23E-02	-1.83E+02
HTP-c ¹	[CTUh]	1.23E-06	7.54E-11	3.90E-09	1.23E-06	0.00E+00	2.46E-07	0.00E+00	0.00E+00	7.24E-12	8.39E-10	2.68E-13	-7.75E-09
HTP-nc ¹	[CTUh]	1.68E-05	2.21E-09	1.65E-07	1.69E-05	0.00E+00	1.54E-06	0.00E+00	0.00E+00	3.25E-10	1.81E-09	9.50E-12	-2.04E-07
SQP ¹	-	2.09E+03	6.88E-01	1.13E+03	3.22E+03	0.00E+00	8.02E+03	0.00E+00	0.00E+00	2.37E-01	4.01E+00	3.70E-03	-6.40E+01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality												
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.												

RESOURCE USE PER 1 piece MV8

Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
PERE	[MJ]	9.32E+02	1.38E-01	3.57E+02	1.29E+03	0.00E+00	1.36E+04	0.00E+00	0.00E+00	4.16E-02	2.20E-01	3.00E-03	-4.69E+01
PERM	[MJ]	5.38E+00	0.00E+00	6.63E+01	7.16E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	9.37E+02	1.38E-01	4.23E+02	1.36E+03	0.00E+00	1.36E+04	0.00E+00	0.00E+00	4.16E-02	2.20E-01	3.00E-03	-4.69E+01
PENRE	[MJ]	9.43E+03	5.20E+00	2.28E+02	9.67E+03	0.00E+00	3.64E+03	0.00E+00	0.00E+00	4.83E-01	2.73E+02	2.02E-02	-3.81E+02
PENRM	[MJ]	3.12E+02	0.00E+00	-3.90E+01	2.73E+02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-2.71E+02	0.00E+00	0.00E+00
PENRT	[MJ]	9.75E+03	5.20E+00	1.89E+02	9.94E+03	0.00E+00	3.64E+03	0.00E+00	0.00E+00	4.83E-01	2.28E+00	2.02E-02	-3.81E+02
SM	[kg]	2.67E-01	0.00E+00	3.66E+00	3.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	5.09E+00	1.62E-04	7.28E-02	5.17E+00	0.00E+00	4.96E+00	0.00E+00	0.00E+00	4.63E-05	-1.83E-02	4.51E-06	-4.60E-02
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water												

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 piece MV8

Parameter	Unit	A1	A2	A3	A1-A3	B1-B5	B6	B7	C1	C2	C3	C4	D
HWD	[kg]	2.54E+01	2.70E-10	1.96E-04	2.54E+01	0.00E+00	3.31E-05	0.00E+00	0.00E+00	1.85E-11	4.68E-03	4.81E-12	6.33E-07
NHWD	[kg]	4.88E-01	4.67E-04	4.55E-01	9.43E-01	0.00E+00	1.90E+01	0.00E+00	0.00E+00	7.88E-05	6.31E-03	5.86E-02	2.63E-01
RWD	[kg]	8.03E-03	7.39E-06	6.47E-03	1.45E-02	0.00E+00	3.78E-01	0.00E+00	0.00E+00	8.79E-07	1.06E-05	2.74E-07	-8.72E-05
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	2.85E-01	2.85E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.64E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.61E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.01E+01	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy												

BIOGENIC CARBON CONTENT PER 1 piece MV8

Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	1.73E+00

Add-on steel screens

ENVIRONMENTAL IMPACTS PER 1 kg steel screen										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	2.36E+00	7.65E-03	1.06E+00	3.43E+00	0.00E+00	4.55E-03	5.92E-02	2.07E-03	-1.21E+00
GWP-fossil	kg CO ₂ eq.	3.37E+00	7.51E-03	2.09E-02	3.39E+00	0.00E+00	4.46E-03	3.17E-02	2.07E-03	-1.21E+00
GWP-biogenic	kg CO ₂ eq.	-1.01E+00	1.79E-05	1.04E+00	3.10E-02	0.00E+00	1.07E-05	2.75E-02	-8.14E-06	1.96E-03
GWP-luluc	kg CO ₂ eq.	1.82E-03	1.26E-04	5.90E-05	2.00E-03	0.00E+00	7.51E-05	9.98E-06	9.06E-06	-5.92E-04
ODP	kg CFC 11 eq.	4.83E-08	1.11E-15	1.17E-13	4.83E-08	0.00E+00	6.58E-16	2.09E-10	6.48E-15	3.82E-12
AP	mol H ⁺ eq.	1.33E-02	1.21E-05	1.80E-04	1.35E-02	0.00E+00	7.18E-06	1.05E-04	1.30E-05	-2.78E-03
EP-freshwater	kg P eq.	1.14E-03	3.21E-08	4.25E-08	1.14E-03	0.00E+00	1.91E-08	5.10E-06	4.21E-09	-1.16E-07
EP-marine	kg N eq.	2.90E-03	4.52E-06	5.30E-05	2.96E-03	0.00E+00	2.69E-06	3.04E-05	3.14E-06	-6.74E-04
EP-terrestrial	mol N eq.	2.81E-02	5.31E-05	7.55E-04	2.89E-02	0.00E+00	3.15E-05	3.37E-04	3.45E-05	-7.30E-03
POCP	kg NMVOC eq.	1.04E-02	1.17E-05	1.46E-04	1.05E-02	0.00E+00	6.97E-06	1.00E-04	9.88E-06	-2.24E-03
ADPm ¹	kg Sb eq.	2.03E-05	6.55E-10	1.50E-09	2.03E-05	0.00E+00	3.89E-10	3.91E-07	1.40E-10	-1.35E-08
ADPf ¹	MJ	4.78E+01	9.90E-02	2.96E-01	4.82E+01	0.00E+00	5.88E-02	2.17E-01	3.45E-02	-9.22E+00
WDP ¹	m ³ world eq. deprived	1.21E+00	1.16E-04	1.16E-01	1.33E+00	0.00E+00	6.92E-05	1.44E-02	2.55E-04	-1.01E-02
Caption	GWP-total = Global Warming Potential – total; GWP-fossil = Global Warming Potential – fossil fuels; GWP-biogenic = Global Warming Potential – biogenic; GWP-luluc = Global Warming Potential – land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use									
Disclaimer	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.									

ADDITIONAL ENVIRONMENTAL IMPACTS PER 1 kg steel screen										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.28E-07	1.26E-10	1.22E-09	2.29E-07	0.00E+00	7.49E-11	1.44E-09	1.50E-10	-4.07E-08
IRP ²	[kBq U235 eq.]	1.92E-01	2.62E-05	2.22E-03	1.94E-01	0.00E+00	1.55E-05	2.76E-03	6.43E-05	1.63E-02
ETP-fw ¹	[CTUe]	6.94E+01	7.35E-02	1.40E-01	6.96E+01	0.00E+00	4.37E-02	2.14E-01	2.10E-02	-1.40E+00
HTP-c ¹	[CTUh]	1.79E-07	1.48E-12	1.17E-11	1.79E-07	0.00E+00	8.82E-13	2.78E-10	4.57E-13	-1.89E-09
HTP-nc ¹	[CTUh]	6.86E-08	6.66E-11	6.15E-10	6.93E-08	0.00E+00	3.96E-11	6.09E-10	1.62E-11	1.65E-09
SQP ¹	-	1.80E+01	4.87E-02	1.01E-01	1.81E+01	0.00E+00	2.89E-02	8.84E-01	6.33E-03	8.43E-01
Caption	PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality									
Disclaimers	¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.									

RESOURCE USE PER 1 kg steel screen										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	-7.85E+00	8.53E-03	1.18E+01	3.93E+00	0.00E+00	5.07E-03	7.82E-02	5.13E-03	1.61E+00
PERM	[MJ]	1.17E+01	0.00E+00	-1.17E+01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	3.85E+00	8.53E-03	7.63E-02	3.93E+00	0.00E+00	5.07E-03	7.82E-02	5.13E-03	1.61E+00
PENRE	[MJ]	4.78E+01	9.90E-02	2.96E-01	4.82E+01	0.00E+00	5.88E-02	2.17E-01	3.45E-02	-9.22E+00
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	4.78E+01	9.90E-02	2.96E-01	4.82E+01	0.00E+00	5.88E-02	2.17E-01	3.45E-02	-9.22E+00
SM	[kg]	8.18E-01	0.00E+00	0.00E+00	8.18E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m ³]	2.87E-02	9.50E-06	2.74E-03	3.14E-02	0.00E+00	5.65E-06	3.34E-04	7.71E-06	-8.14E-04
Caption	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water									

WASTE CATEGORIES AND OUTPUT FLOWS PER 1 kg steel screen										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	8.06E-01	3.79E-12	1.53E-10	8.06E-01	0.00E+00	2.25E-12	1.81E-03	8.23E-12	4.10E-09
NHWD	[kg]	8.64E-05	1.62E-05	2.08E-02	2.09E-02	0.00E+00	9.61E-06	0.00E+00	1.00E-01	-1.82E-02
RWD	[kg]	1.22E-05	1.80E-07	1.40E-05	2.63E-05	0.00E+00	1.07E-07	0.00E+00	4.69E-07	1.46E-04
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	9.00E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Caption	HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy									

BIOGENIC CARBON CONTENT PER 1 kg steel screen		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	0.00E+00

Additional information

LCA interpretation

The results of the EPD shows the potential environmental impacts associated with one piece of MicroVent air handling unit and 1 kg of steel screens for internal and external use (add-on). Through a contribution analysis the results showed that the production of PCB is the most dominant flow on the total impact.

For the internal and external steel screen (add-on) the steel dominates the potential environmental impacts with 74% in GWP-total.

Technical information on scenarios

Reference service life

RSL information		Unit
Reference service Life	20	Years

Use (B1-B7)

Scenario information	Value	Unit
B6 + B7 – Use of energy and water		
Electricity (national grid mix)	35.9-91.1	kWh/year

B6

MicroVent	MV2	MV3	MV4	MV5	MV6	MV7	MV8	Unit
Operation time per year	8,670	8,670	8,670	8,670	8,670	8,670	8,670	hours
Performance of max flow rate	53	53	53	53	53	53	53	%
Flow rate	26	39	52	66	79	92	104	m ³ /h
Energy use	0.00410	0.00520	0.00620	0.00730	0.00830	0.00940	0.0104	kWh/h
Operational energy use, 1 year	35.9	45.6	54.3	63.9	72.7	82.3	91.1	kWh
Operational energy use, 20 years (B6)	718	911	1,086	1,279	1,454	1,647	1,822	kWh

End of life (C1-C4)

Scenario information - MicroVent	Value	Unit
Collected separately	2.99-8.21	kg
Collected with mixed waste	0	kg
For reuse	0	kg
For recycling	2.81-7.64	kg
For energy recovery	0.155-0.508	kg
For final disposal	0.0223-0.0585	kg
Assumptions for scenario development	-	As appropriate

Scenario information – Steel screens	Value	Unit
Collected separately	1	kg
Collected with mixed waste	0	kg
For reuse	0	kg
For recycling	0.90	kg
For energy recovery	0	kg
For final disposal	0.10	kg
Assumptions for scenario development	-	As appropriate

Re-use, recovery and recycling potential (D)

Scenario information/Materiel - MicroVent	Value	Unit
Displaced material (recycling)	2.54-6.76	kg
Displaced energy from material (incineration)	0.115-0.508	kg

Scenario information/Materiel – Add-on steel screen	Value	Unit
Displaced material (recycling)	0.72	kg
Displaced energy from material (incineration)	0	kg



Indoor air

The EPD does not give information on release of dangerous substances to indoor air because the horizontal standards on the relevant measurements are not available. Read more in EN15804+A1 chapter 7.4.1.

Soil and water

The EPD does not give information on release of dangerous substances to soil and water because the horizontal standards on the relevant measurements are not available. Read more in EN15804+A1 chapter 7.4.2.

References

Publisher	 www.epddanmark.dk Template version 2024.1
Programme operator	Danish Technological Institute Gregersensvej DK-2630 Taastrup www.teknologisk.dk
LCA-practitioner	Nana Lin Rasmussen Morten Ryberg Sweco A/S Ørestads Blvd. 41, 2300 København, Denmark 
LCA software / background data	<i>LCA for Experts (LCA FE) version 10.8.</i> Generic data are primarily based on life cycle inventory data from Sphera's database Managed LCA Content (MLC) version 2024.1 and Ecoinvent database 3.10. <i>EN 15804 reference package 3.1</i>
3rd party verifier	Guangli Du BUILD – Institut for Byggeri, By og Miljø, Aalborg Universitet København

General programme instructions

General Programme Instructions, version 2.0, spring 2020
www.epddanmark.dk

EN 15804

DS/EN 15804 + A2:2019 - "Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products"

NPCR 030 version 1.1

EPD-Norge. (2021). NPCR 030 Part B for ventilation components, version 1.1

EN 15942

DS/EN 15942:2011 – " Sustainability of construction works – Environmental product declarations – Communication format business-to-business"

ISO 14025

DS/EN ISO 14025:2010 – " Environmental labels and declarations – Type III environmental declarations – Principles and procedures"

ISO 14040

DS/EN ISO 14040:2008 – " Environmental management – Life cycle assessment – Principles and framework"

ISO 14044

DS/EN ISO 14044:2008 – " Environmental management – Life cycle assessment – Requirements and guidelines"

References

Environment. (2021). Hentet fra <https://environment.ec.europa.eu/system/files/2021-12/Annexes%201%20to%202.pdf>

EPD Danmark. (April 2023). *Dokumenter til download - Konsulentkit ver. 2023.1*. Hentet fra EPD Danmark: <https://www.epddanmark.dk/dokumenter/>

European Commission. (2021). *Recommendation on the use of Environmental Footprint methods*. Hentet fra Annex 1 to 2: <https://environment.ec.europa.eu/system/files/2021-12/Annexes%201%20to%202.pdf>